



FABRICANTE E IMPORTADOR DIRECTO

Este catalogo tan solo muestra una parte de los productos que manejamos de l í nea,para consultar el total de los productos visite nuestra p á gina:<http://www.droca.com>

Mexico

Mexico D.F.: (55) 12 07 80 30
Guadalajara: (33) 10 36 55 98
Morelia (443) 1 48 00 03
Monterrey (81) 11 07 00 05
Toluca (722) 2 27 61 55
San Luis Potosi (444) 5 85 36 11
Leon (477) 1 70 32 74

Mexico D.F.: (55) 55 95 75 00
Aguascalientes (449) 1 30 00 08
Tijuana (664) 1 38 00 00
Queretaro (442) 1 61 01 76
Puebla (222) 3 75 30 32
Cuernavaca (777) 3 30 30 82
Pachuca (771) 7 78 35 67

USA

IL,USA: +1-630-749-1032
FL, USA: +1-321-234-1740

CA, USA: +1-775-229-8002

D'ROCA Networks,S.A.de C.V
Av.Toluca 432,Olivar de los Padres
Alvaro Obregon,Mexico,D.F.01780
mail: contacto@droca.net

Distribuidor Autorizado:



- Bluetooth speakers
- Power bank
- Selfie monopod
- USB flash disk
- USB fan
- pedometer
- Keyboard
- Calculator
- Smart Watch
- Bluetooth Scale
- Balance Wheel



NOVEDADES TECNOLÓGICAS Y ARTÍCULOS PROMOCIONALES

www.droca.com

CONTENTS



01 BLUETOOTH SPEAKERS
01-10

02 POWER BANK
11-19



03 SELFIE MONOPOD
20-22



04 USB FLASH DISK
23-36



05 USB FAN
37-38



13 BALANCE WHEEL SCOOTER BOARD
58-64



06 PEDOMETER
39-42



12 Smart Bluetooth Weighting Scale
56-57



11 SMART WATCH
54-55



09 CAR CHARGE AND USB CABLE
48-51



08 CALCULATOR
45-47



10 PHONE HOLDER
52-53



07 KEYBOARD
43-44





BLUETOOTH SPEAKERS

1

FEATURES

- New Bluetooth 3.0 Technology
- Built-in Microphone for taking calls
- With USB slot, support MP3/MP4 format in USB stick
- With Micro SD card slot, support MP3/MP4 format in micro SD card
- Built-in rechargeable battery supports up to 10 hours. Audible low battery alerts
- Wirelessly control your music through the Bluetooth Function
- Build-in FM Radio
- You can connect a device using a 3.5 mm audio cable. Connect your MP3/MP4 player, cell phone, computers or other non-Bluetooth devices.
- Easy to go out with you by lanyard or climbing hook
- Build-in LED flashlight


BS-010



- Dimensions:210*70*70mm
- Power:DC5V+500mah battery
- Speaker:2*3W/4 Ω/70dB
- Material:ABS



BS-011



- Dimensions:95*95*30mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-012



- Dimensions:104*48.5*48.8mm
- Power:DC5V+600mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-013



- Dimensions:100*78.9*38.5mm
- Power:DC5V+500mah battery
- Speaker:3W/4Ω/80dB
- Material:ABS



BS-014



- Dimensions:95*38*17mm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/80dB
- Material:ABS



BS-015



- Dimensions:50*50*70mm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/80dB
- Material:ABS+Silicon



BS-017



- Dimensions: 43.8*43.8*42.3mm
- Power: DC5V+300mah battery
- Speaker: 3W/4Ω/65dB
- Material: ABS+metal



BS-018(RDA)



- Dimensions: 165*78*49mm
- Power: DC5V+1200mah battery
- Speaker: 2*3W/4Ω/85dB
- Material: ABS



BS-031(RDA)



- Dimensions: 62*71*35mm
- Power: DC5V+250mah battery
- Speaker: 3W/4Ω/89dB
- Material: ABS



BS-032



- Dimensions: 110*35*50mm
- Power: DC5V+500mah battery
- Speaker: 3W/4Ω/80dB
- Material: ABS



BS-023



- Dimensions: 50*50*52mm
- Power: DC5V+500mah battery
- Speaker: 3W/4Ω/80dB
- Material: ABS



BS-024



- Dimensions: 50*50*53mm
- Power: DC5V+300mah battery
- Speaker: 3W/4Ω/85dB
- Material: ABS



BS-036



- Dimensions: 149*58*55mm
- Power: DC5V+500mah battery
- Speaker: 2*3W/4Ω/65dB
- Material: ABS




BS-040



- Dimensions: 50*50*55mm
- Power: DC5V+180mah battery
- Speaker: 3W/4Ω/85dB
- Material: ABS



BS-027(RDA)



- Dimensions: 90*90*90mm
- Power: DC5V+1000mah battery
- Speaker: 5W/4Ω/85dB
- Material: ABS



BS-030



- Dimensions: 95*95*35mm
- Power: DC5V+500mah battery
- Speaker: 3W/4Ω/85dB
- Material: ABS



BS-042



- Dimensions: 80*80*45mm
- Power: DC5V+500mah battery
- Speaker: 3W/4Ω/85dB
- Material: ABS



BS-044



- Dimensions: 63*63*75mm
- Power: DC5V+300mah battery
- Speaker: 3W/4Ω/85dB
- Material: ABS




BS-050(RDA)



- Dimensions:36*35mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/60dB
- Material:ABS



BS-053



- Dimensions:60*60*52mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/80dB
- Material:ABS



BS-067(RDA)



- Dimensions:105*58*113mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS+silcon



BS-068



- Dimensions:73*73*83mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS+Arylic



BS-056



- Dimensions:45*45*50mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS+Silicon



BS-058



- Dimensions:80*80*47mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-069(RDA)



- Dimensions:28*28*32mm
- Power:DC5V+180mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-303



- Dimensions:Dia70mm*H50mm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-060



- Dimensions:146*38.5*24mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-066



- Dimensions:55*55*41mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/80dB
- Material:ABS



BS-304



- Dimensions:Dia70mm*H50mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-305(with power bank)



- Dimensions:Dia70mm*H50mm
- Power:DC5V+4000mah battery
- Speaker:3W/4Ω/85dB
- Material:Metal



BS-313



- Dimensions:H55mm*D43mm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-322



- Dimensions:Dia62mm*H59mm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS+SIL



BS-341



- Dimensions:H70mm*D61mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-548



- Dimensions:7.6*7.6*7.8cm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-319



- Dimensions:Dia6.5*H6.2cm
- Power:DC5V+250mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-330



- Dimensions:15.5x4x5.7cm
- Power:DC5V+500mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-463



- Dimensions:6*6*8cm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-551



- Dimensions:6*6*7cm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-552



- Dimensions:H72mm*D62mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-565



- Dimensions:6*6*7cm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-573



- Dimensions:Dia3.6cm*H4.2cm
- Power:DC5V+250-300mah battery
- Speaker:3W/4Ω/85dB
- Material:Aluminum case



BS-828



- Dimensions:H50mm*D52mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-559



- Dimensions:9*9*5.5cm
- Power:DC5V+500mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-566



- Dimensions:H72mm*D62mm
- Power:DC5V+300mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-574(RDA)



- Dimensions:Dia3.6cm*H4.2cm
- Power:DC5V+250-300mah battery
- Speaker:3W/4Ω/85dB
- Material:Aluminum case



BS-611



- Dimensions:11.5*6.3*6.3cm
- Speaker:3W/4Ω/75dB
- Material:ABS



BS-612



- Dimensions:15.5*6.6*2.3cm
- Speaker:3W/4Ω/75dB
- Material:ABS



BS-615



- Dimensions:75*75*57mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/75dB
- Material:ABS+ Acrylic



BS-616



- Dimensions:Dia61*100mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS+ Acrylic



BS-613



- Dimensions:82*82*57mm
- Power:DC5V+350mah battery
- Speaker:3W/4Ω/75dB
- Material:ABS+Acrylic



BS-617



- Dimensions:104*48.5*48.8mm
- Power:DC5V+600mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS



BS-618



- Dimensions:165*78*49mm
- Power:DC5V+1200mah battery
- Speaker:2*3W/4Ω/85dB
- Material:ABS



BS-614



- Dimensions:Dia55xH53.5mm
- Power:DC5V+350mah battery
- Speaker:3W/4Ω/75dB
- Material:ABS+ Acrylic



BS-619



- Dimensions:146*38.5*24mm
- Power:DC5V+400mah battery
- Speaker:3W/4Ω/85dB
- Material:ABS





02

POWER BANK

Five Protection keep safe:

- Over voltage protection
- Over current protection
- Over charger protection
- Over discharge protection
- Short circuit protection


Best circuit design to save power:

- Automatic identification of charging and discharging.
- Low power consumption design

Best quality control for battery:

- Choose brand batter with real capacity.
- Before assemble circuit testing.
- In assemble function testing.
- After assemble 3 times charging and dis charging testing.

PB001




- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:25*25*92mm

PB002



- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:22*24*96mm

PB003



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:25*25*92mm

PB004



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:25*25*92mm

PB005



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:25*25*92mm

PB006



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:22.5*22.5*95mm

PB007



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:22*24*96mm

PB008



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:23*23*105mm

PB013



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:26*26*91.5mm

PB014



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB009



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB010



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:22*24*96mm

PB015



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB016



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB011



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB012



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:24*24*92mm

PB017



- In put:5V/1A
- Out put:5V/1A
- Capacity:800-2800mah
- Dimensions:30.5*30.5*99mm

PB101



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-7800mah
- Dimensions:22*75*80mm

PB102



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-7800mah
- Dimensions:22*75*80mm

PB108



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:6000-14000mah
- Dimensions:20*70*110mm

PB109



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:6000-14000mah
- Dimensions:20*70*110mm

PB103



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-7800mah
- Dimensions:28*80*80mm

PB104



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-7800mah
- Dimensions:23*73*100mm

PB110



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-5600mah
- Dimensions:24*45*105mm

PB111




PB106



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-5600mah
- Dimensions:24*47*101mm

PB107



PB112



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-5600mah
- Dimensions:21*43*95mm

PB113



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:22*44.5*92.5mm

PB114



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:38.5*38.5*92mm

PB115



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-5600mah
- Dimensions:24*45*105mm

PB120



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:8*57*104mm

PB121



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-6000mah
- Dimensions:10*67*135mm

PB116



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:76*22*92mm

PB117



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-5600mah
- Dimensions:8.5*65*115mm

PB122



- In put:5V/1A
- Out put:5V/1A
- Capacity:2400-6000mah
- Dimensions:9*65*115mm

PB123



- In put:5V/1A
- Out put:5V/1A
- Capacity:3600-8400mah
- Dimensions:22*65*115mm

PB118



- In put:5V/1A
- Out put:2*5V/1A
- Capacity:2400-5600mah
- Dimensions:8.5*65*115mm

PB119



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:12*75*131mm

PB124



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:103*103*22mm

PB125



- In put:5V/1A
- Out put:5V/1A
- Capacity:3200-10400mah
- Dimensions:13*80*124mm

PB126



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:70*50*92mm

PB127



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:70*50*92mm

PB128



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:80*60*80mm

PB129



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:47*62*110mm

PB130



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:80*60*80mm

PB131 PB132



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:53*55*85mm

PB133



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:58*48*85mm

PB134



- In put:5V/1A • Out put:5V/1A
- Capacity:1200-2800mah
- Dimensions:65*45*81mm



SELFIE MONOPOD

Non-slip handle
High strength and 6-level aluminum (or stainless steel) telescopic tube
360 degree rotating strong buckle, universally support almost of mobile phones

SELFIE BLUETOOTH REMOTE SHUTTER

Compatible with iOS/Android
New Bluetooth 3.0 technology
With zoom in/out and camera switch function.

03

Stainless Steel Monopod + Bluetooth shutter



Stainless Steel Monopod with Built-in Remote Shutter



Grooved Monopod with Built-in Remote Shutter(big clip)



Foldable aluminum Steel Monopod + Bluetooth shutter(zoom and camera switch)



Black varnished monopod with Built-in Remote Shutter



Black varnished monopod + Bluetooth shutter



Foldable Stainless Steel Monopod with Built-in Remote Shutter



Foldable Stainless Steel Monopod with Built-in Remote Shutter



04

USB FLASH DISK



*USB 2.0 flash disk
MLC original memory chips
Support 512mb to 32GB capacity
1-4GB speed: 4mb/s(writing) 14mb/s(reading)
8-16GB speed: 6mb/s(writing) 18mb/s(reading)
32-64GB speed: 10mb/s(writing) 20mb/s(reading)

*USB 3.0 flash disk
MLC original memory chips
Support 8GB to 64GB capacity
8-16GB speed: 15mb/s (writing) 60mb/s (reading)
32-64GB speed: 30mb/s (writing) 100mb/s (reading)

*OTG USB disk (smart phone USB disk)
For Android 4.0+ Devices with USB OTG Support
Expand the Storage of Your Phone or Tablet
Use It as a Standard USB Flash Drive
2 in 1: Micro USB and USB 2.0 connectors for easy transfer of files
between smartphones, tablets and computers

*iPhone USB disk (is coming soon)
For IOS 9.0+ Licensed lightning to USB Flash Drive
Expand the Storage of Your iPhone 5,5s,5c,6,6 Plus,6s,6s Plus, iPod touch
5, iPad Mini 1,2,3,4, iPad 4,Air,Air 2, iPad Pro
Use It as a Standard USB Flash Drive
2 in 1: lightning to USB and USB 2.0 connectors for easy transfer of files
between IOS products, tablets and computers

LU001



LU002



LU003



LU004



LU005




LU006



LU007



WU001



WU002




WU009



WU010



WU003




WU004



WU011



WU012



WU005



WU006



WU013



WU014



WU007



WU008



WU015



WU016



WU017



OU001



OU002



PU001



PU002



OU003



OU004




PU003




PU004



OU005



OU006



PU005



PU006



PU007



PU008



PU101



PU102



PU201



PU202



PU103



PU104



PU203



PU204



PU105



PU106



PU205



PU206



PU107



PU108



PU207



PU208



PU209



PU210



PU217



PU218



PU211



PU212



PU219



PU220



PU213



PU214



PU221



PU222



PU215



PU216



PU223



PU224



PU225



PU226




MU001



MU002




PU227




PU228



MU003



MU004



PU229



PU230



MU005



MU006



PU231



PU232



PU233



MU007



MU008



PU001



PU002



MU009



MU010



PU003



PU004



PU005



PU006



MU011



MU012



PU007



PU008



PU009



PU010



PU011





15

USB FAN ≈

Snail fan



- Dimensions:17.5*13.5*5.5cm
- Power:USB connection/AAA battery*3
- Color Boxes:17.7*13.6*5.5cm
- Meterial:ABS



Tire fan



- Dimensions:12*17*3.8cm
- Power:USB connection
- Color Boxes:14.8*19.2*7cm
- Meterial:ABS



Portable fan



- Dimensions:
- Power:/AAA battery*3
- Meterial:ABS



Portable fan



- Dimensions:8*16.8*5.2cm
- Power:USB connection/AAA battery*3
- Color Boxes:13.8*21.5*6cm
- Meterial:ABS



USB Humidifier



- Dimensions:10.0*10.0*9.0cm
- Power:USB connection
- Meterial:ABS



一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效



PEDOMETER



P6

JM1008B



- Dimensions:17.8*3.5*2.5cm
- Rope Length:3.0m
- Battery:AG13*1(include)
- Material:ABS+PVC Rope

JM1108



- Dimensions:18.3*3.0*2.8cm
- Rope Length:3.0m
- Battery:AG13*1(include)
- Material:ABS+PVC Rope

JM0115



- Dimensions:25.5*4.4*1.5cm
- Battery:AG3*1(include)
- Material:ABS+Silicon Watchband

JM0001A



- Dimensions:4.8*3.5*2.2cm
- Battery:AG10*1(include)
- Material:ABS

JM6162A



- Dimensions:4.6*4.8*2.2cm
- Battery:AG10*1(include)
- Material:ABS

JM007



- Dimensions:4.5*4.5*2.0cm
- Battery:AG10*1(include)
- Material:ABS

JM007B



- Dimensions: 4.5*4.5*2.0cm
- Battery: AG10*1(include)
- Material: ABS

JM718



- Dimensions: 7.5*4.2*2.9cm
- Battery: AG13*1+AG10*3(include)
- Material: ABS

JM0804



- Mimensions: 4*2.3*4cm
- Material: ABS
- Battery: Ag13
- Multifunctional

JM0805A



- Mimensions: 4*2*5.2cm
- Material: ABS
- Battery: AG13
- Multifunctional

JM0800



- Mimensions: 78*46*13mm
- Material: ABS
- Battery: 3V Cr2032
- Big LCD. Multifunctional

JM0801



- Mimensions: 78*46*13mm
- Material: ABS
- Battery: 3V Cr2032
- Big LCD. Multifunctional

JM0805B



- Mimensions: 4*2*5.2cm
- Material: ABS
- Battery: AG13
- Multifunctional

JM0806



- Mimensions: 3.8*2.4*4.6cm
- Material: ABS+Acrylic
- Battery: AG13
- Multifunctional

JM0802



- Mimensions: 3.9*3.7*1.5cm
- Material: ABS
- Battery: Ag13
- Big LCD. Multifunctional

JM0803



- Mimensions: 4*2.3*4cm
- Material: ABS
- Battery: AG13
- Multifunctional

JM0807



- Mimensions: 3.8*2.4*4.6cm
- Material: ABS+Acrylic
- Battery: AG13
- Big LCD, Multifunctional

JM0808



- Mimensions: 6.3*2.3*5cm
- Material: ABS+Acrylic
- Battery: AG13
- Big LCD, Multifunctional



KEYBOARD



07

KB-001



- Dimensions:495*415*272mm
- Key:84key
- Material: silicon
- Wired / Bluetooth 3.0 option.

KB-002



- Dimensions:275*102*12mm
- Key:113key
- Material: silicon
- Wired / Bluetooth 3.0 option.

KB-003



- Dimensions:356*102*12mm
- Key:115key
- Material: silicon
- Wired / Bluetooth 3.0 option.

KB-004



- Dimensions:403*120*12mm
- Key:107key
- Material: silicon
- Wired / Bluetooth 3.0 option.

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD

广州·深圳·河南

快速·精准·高效

一秒广告
EMIAO-AD


广州·深圳·河南

快速·精准·高效




D8

CALCULATOR



JM0619



- Dimensions: 6.7*11.7*0.8cm
- Battery: AG10 * 1
- Material: ABS

JM0621



- Dimensions: 12.0*6.0*0.8cm
- Battery: AG10*1+Solar Power(include)
- Material: ABS+Arylic

JM0825



- Dimensions: 12.0*8.0*0.6cm
- Battery: Solar Power
- Material: ABS

JM0825A



- Dimensions: 14.0*9.0*0.8cm
- Battery: Solar Power
- Material: ABS

JM2308



- Dimensions: 14.0*10.1*3.3cm
- Battery: AG10*1+Solar Power(include)
- Material: ABS

JM0618



- Dimensions: 11.5*7.0*0.8cm
- Battery: Solar Power
- Material: ABS

JM2023B



- Dimensions:13.0*8.0*0.8cm
- Battery:AG10 * 1
- Material:Silicon

JM5988



- Dimensions:17.8*11.0*1.8cm
- Battery:Solar Power
- Material:Paper

JM599B



- Dimensions:7.7*9.5*1.0cm
- Battery:Solar Power
- Material:ABS+Paper

JM1006B



- Dimensions:10.0*14.6*1.5cm
- Battery:AG10*1+Solar Power
- Material:PVC+Paper

JM2308



- Dimensions:8*14*1.5cm
- Battery:AG10+Solar Power
- Material:PU+ ABS+ Paper

JM0808B



- Dimensions:20.9*5.2*0.8cm
- Battery:AG10+Solar Power
- Material:PU+ ABS+ Paper



CAR CHARGE AND USB CABLE



09



CC001



- Mimensions:70*45*21mm
- Material:ABS+Acrylic
- Twoport output:5V/1A+5V/2.1A

CC002



- Mimensions:80*38*45mm
- Material:ABS+Acrylic
- Twoport output:5V/1A+5V/2.1A

CC003



- Mimensions:80*38*45mm
- Material:ABS+Acrylic
- Twoport output:5V/1A+5V/2.1A

SJ-001



- Mimensions:9.5*3.5*2.3cm
- Material:Silicon
- 2 in 1:Iphone 5S(8pin)+Micro USB

SJ-002



- Mimensions:9.5*3.5*2.3cm
- Material:Silicon
- 2 in 1:Iphone 5S(8pin)+Micro USB

SJ-003



- Mimensions:9.0*6.2*3.0cm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB +Iphone 4

SJ-004



- Mimensions:9.0*6.2*3.0cm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB +Iphone 4

SJ005



- Mimensions:5*5*5cm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB +Iphone 4

SJ-006



- Mimensions:9.5*3.5*2.3cm
- Material:Silicon
- 2 in 1:Iphone 5S(8pin)+Micro USB

SJ-007



- Mimensions:5*5*5cm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB+Iphone 4

SJ-008




- Mimensions:65*65*30mm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB+Iphone 4

SJ-009



- Mimensions:65*65*30mm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB+Iphone 4

SJ-010



- Mimensions:63*42*17mm
- Material:PC+ABS
- USB to Micro USB/Iphone 5(option)

SJ-011



- Mimensions:40*40*26mm
- Material:PC+ABS
- 3 in 1:Iphone 5S(8pin)+Micro USB+Iphone 4

SJ-012



- Mimensions:9.0*6.2*3.0cm
- Material:Silicon
- 3 in 1:Iphone 5S(8pin)+Micro USB+Iphone 4



PHONE HOLDER 

10



CH0101



- mimensions:77*65*41mm
- Material:ABS+Silicon

CB0102



- Mimensions:9.5*3.5*2.3cm
- Material:Silicon
- 2 in 1:Iphone 5S(8pin)+Micro USB

CB0103



- Mimensions:70*64*64mm
- Material:ABS+Silicon

CB0104



- Mimensions:90*27*50mm
- Material:ABS+silicon

CB0105



- Mimensions:50*30*1.5mm
- Material:Silicon



SMART WATCH



11

TV, air-condition smart Remote Control
Compass
Bluetooth pedometer
Living water splash
Sedentary remind
NFC shortcut
Sleep monitoring
Look for mobile phone
Remote picture shutter
Intelligent Burglar Alarm
Calls SYNC
Information push



U10L



- Dimensions:40*45*9.9mm
- Weight: 40g
- Screen Size: 1.54"
- Screen Resolution: 240*240
- Screen Material: TFT
- Touch Module : IPS
- Type:Lithium-ion polymer battery
- Capacity:3.7V/250mAh

U18




- Product Form:Andriod Smart watch
- Dimensions:41*52*10.3mm
- Weight:62.5g
- gift box size:Φ102*88mm
(62.5g+117g=179.5g)
- Small box size:535X235X205mm
(179.5X20g+448g=4.038KG)
- Screen Size:1.60"
- Screen Resolution:240*240
- Screen Material:IPS
- Touch Module :G+F
- Type:Lithium-ion polymer battery
- Capacity:3.7V/360mAh

Uo



- Product Form:circular watch
- Dimensions:44*50.5*11.4mm
- Weight:52.6g
- gift box size:Φ102*88mm
(52.6g+117g=169.6g)
- Small box size:535X235X205mm
(169.6X20g+448g=3.84KG)
- Screen Size:1.22"
- Screen Resolution:240*204
- Screen Material:TFT
- Touch Module :G+F
- Type:polymer battery
- Capacity:3.7V/270mAh

SMART BLUETOOTH
WEIGHTING SCALE

12

Link the scale to phone APP by Bluetooth 4.0
Support both Android 4.3 and IOS7.0 above system
Measures: Body Weight, Body Fat, Body Water,
Muscle Mass, BMI, BMR (KCAL), Bone Mass and
Visceral Fat.
Analyzer the date on the APP for 8 person account.

BW-001



- Dimensions: 280*280*25mm
- Tempered glass: 6mm
- LCD display:79*36mm
- Bluetooth weighing scale

BW-002F




- Dimensions: 280*280*25mm
- Tempered glass: 6mm
- LCD display:79*36mm
- Bluetooth body fat scale

BW-003F



- Dimensions: 300*300*30mm
- Tempered glass: 6mm
- LCD display:79*36mm
- Bluetooth body fat scale

BW-004F



- Dimensions: 300*300*30mm
- Tempered glass: 6mm
- LCD display:79*36mm
- Bluetooth body fat scale



13



BALANCE WHEEL SCOOTER BOARD


6.5inch

- Dimensions: 584*185*178mm
 - Tire size: 6.7in/165mm
 - Platform height: 110mm
 - Ground clearance: 30mm
 - Load:20kg-100kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:15°
 Battery: 36V / 4,400mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 54
 Certificates: CE FCC RoHS
 Carton size:65*25*25cm

Color: ■ ■ ■ ■ ■ ■ ■ ■




Accessories:





6.5inch

- Dimensions:665*260*250mm
 - Tire size: 6.7in/165mm
 - Platform height: 110mm
 - Ground clearance: 30mm
 - Load:20kg-120kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:15°
 Battery: 36V / 4,400mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 54
 Certificates: CE FCC RoHS
 Carton size:65*25*25cm

Color: ■ ■ ■ ■ ■ ■ ■ ■



Accessories:




8.5inch

- Dimensions: 670*300*280mm
 - Tire size: 8.0in/203mm
 - Platform height: 135mm
 - Ground clearance: 65mm
 - Load:20kg-120kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:25°
 Battery: 36V / 4,400mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 54
 Certificates: CE FCC RoHS
 Carton size:67.5*30*37.5cm

Color:



Accessories:




8inch

- Dimensions: 670*300*280mm
 - Tire size: 8.0in/203mm
 - Platform height: 135mm
 - Ground clearance: 65mm
 - Load:20kg-120kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:25°
 Battery: 36V / 4,400mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 54
 Certificates: CE FCC RoHS
 Carton size:67.5*30*37.5cm

Color:



Accessories:



10inch

- Dimensions: 660*270*280mm
 - Tire size: 6.7in/254mm
 - Platform height: 160mm
 - Ground clearance: 60mm
 - Load:20kg-130kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:25°
 Battery: 36V / 4,400mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 54
 Certificates: CE FCC RoHS
 Carton size:75.5*36*36.5cm

Color:      




Accessories:



F1

- Dimensions: 520*245*1400mm
 - Tire size: 6.7in/254mm
 - Platform height: 160mm
 - Ground clearance: 60mm
 - Load:25kg-120kg
- Moto power: 0.4 Horsepower *2
 Max speed: 10km/s
 Max climbing angle:25°
 Battery: 36V / 5,800mAH Power lithium-ion battery
 Range: 20km
 Charging time: 2-3 hour
 Charging power: AC100-240V/50-60HZ
 Ingress protection: IP 55
 Certificates: CE FCC RoHS
 Carton size:75.5*36*36.6cm

Color:  



Accessories:

